International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

EcoShield: AI-Powered Safety Companion

Dr. Mahesh Maurya[1], Ayush Singh[2], Lalit Singh[3], Md. Shoaib[4], Himanshu Kapadiya[5]
[1]Associate professor, Dept. of CS, SJCEM, Palghar, Maharashtra, India
[2,3,4]UG Scholar, Dept. of CS, SJCEM, Palghar, Maharashtra, India
Emails: *maheshm@sjcem.edu.in[1], ayush.singh03042005@gmail.com[2], lalitsingh242004@gmail.com[3], mdshoaib0045@gmail.com[4], kapadiyahimanshu8@gmail.com[5]*

Abstract
As rising crime rates and delayed emergency responses continue to pose serious threats to personal safety, especially in urban and semi-urban regions, the need for intelligent and reliable safety systems has become a major concern. Conventional personal safety solutions often depend on manual user interaction, stable network connectivity, and continuous location availability, which can reduce their effectiveness during real-world emergency situations. This project presents EcoShield, an AI-driven personal safety platform designed to enhance emergency responsiveness, situational awareness, and user protection. The proposed system integrates real-time location tracking, geospatial crime data visualization, and voice-based emergency detection to automatically trigger alerts during critical situations. By leveraging mobile sensing technologies and intelligent automation, EcoShield ensures timely communication with emergency contacts even when precise location data is partially unavailable. The system provides a secure and user-friendly interface that supports proactive risk awareness through danger-zone mapping and safe route guidance. Experimental testing and simulated evaluations demonstrate noticeable improvements in alert reliability, response time, and overall system effectiveness. This project contributes toward improving personal safety solutions and establishes a foundation for extending intelligent safety systems to broader smart-city and public security applications.

Keywords: *Crime Mapping; Emergency Response; Location Tracking and Google Maps API; Personal Safety; Voice SOS.*

1. Introduction
Many regions across the world, including India, are witnessing a steady rise in crime rates, making personal safety a growing concern, particularly in urban and semi-urban areas. Individuals such as women, elderly citizens, night-shift workers, and solo travelers often face increased vulnerability due to delayed emergency responses and lack of immediate situational awareness. Despite the availability of mobile phones and emergency helplines, victims are frequently unable to communicate effectively during critical situations because of panic, physical constraints, or unavailability of precise location information. Ensuring timely assistance during emergencies therefore remains a complex and pressing challenge. Recent crime analysis reports and public safety studies highlight serious gaps in existing personal safety mechanisms. Many emergency response systems rely heavily on manual intervention, user-initiated calls, or continuous internet connectivity, which may not be reliable during real-world emergencies. In developing regions, challenges such as inconsistent network coverage, delayed GPS acquisition, and limited access to advanced safety infrastructure further aggravate the problem. The absence of intelligent, automated safety systems often results in delayed alerts, incomplete information sharing, and reduced effectiveness of emergency services. Personal safety ecosystems involve multiple stakeholders, including individuals, emergency contacts, law enforcement agencies, medical responders, and local authorities. Each emergency event generates critical data such as the user's location, time of incident, nature of distress, and movement patterns. When this information is not captured or transmitted accurately and promptly, it can hinder emergency response efforts. Centralized or

International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

manually operated safety systems are prone to delays, data inconsistency, and lack of real-time monitoring, which can compromise both user safety and responder efficiency. This gap can be effectively addressed by introducing an intelligent, automated, and location-aware personal safety system that minimizes user dependency while maximizing responsiveness. Emerging technologies such as mobile AI, real-time geospatial mapping, and voice recognition provide a strong foundation for building such systems. Voice-based distress detection enables emergency activation without physical interaction, while GPS and map-based analytics allow proactive identification of unsafe regions. Automated alert mechanisms ensure that emergency notifications are dispatched instantly, even when location data is partially unavailable. The proposed EcoShield Personal Safety System aims to leverage artificial intelligence, real-time location tracking, and crime data visualization to create a reliable and user-centric safety platform. The system is designed to:

1. Continuously monitor user location and detect proximity to crime-prone zones.
2. Enable voice-activated emergency alerts without manual intervention.
3. Automatically notify emergency contacts via SMS and phone calls.
4. Provide visual risk awareness through danger-zone mapping and safe route guidance.
5. Reduce emergency response time through automated and prioritized alert dispatch.

The platform also allows users to manage trusted emergency contacts and receive situational awareness through an intuitive mobile interface. By integrating modern mobile technologies and intelligent automation, EcoShield offers a scalable and practical solution suitable for real-world deployment. This proactive and technology-driven approach represents a significant step toward improving personal safety and public security. By enhancing emergency responsiveness and risk awareness, the proposed system contributes to safer communities and supports the broader vision of smart and secure urban environments. As shown in Figure 1 System Architecture.

1.1.System architecture




Figure 1 System Architecture

This system is designed to ensure reliable and automated personal safety support by continuously monitoring user location and emergency conditions. It combines real-time GPS tracking, voice-based SOS detection, and crime zone mapping to improve emergency responsiveness, risk awareness, and user protection.

1.2.Methodology

The methodology adopted for the EcoShield Personal Safety System follows a structured and modular approach to ensure reliable emergency detection, accurate location tracking, and timely alert delivery. The proposed framework integrates mobile sensing, real-time data processing, and automated communication mechanisms to provide continuous safety monitoring and rapid emergency response. This approach minimizes manual user dependency while ensuring that critical information is transmitted efficiently during emergency situations. As shown in Figure 2 Flowchart.




Figure 2 Flowchart

International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

The system architecture is designed to support continuous and near real-time monitoring of the user's environment and location. It incorporates GPS-based location services, background voice recognition modules, and crime data analysis components to evaluate potential risks. Location data is periodically updated using fused location providers to balance accuracy and power consumption. Crime-prone areas are predefined as danger zones and are carefully distributed to avoid overlap while maintaining realistic coverage. This integrated design ensures seamless interaction between sensing components and processing modules, while supporting scalability and reliable performance across different operating conditions. As shown in Figure 3 Home Page.




Figure 3 Home Page

The user interface of the EcoShield application is designed to provide a clear and intuitive overview of safety-related information. It allows users to view their current location, monitor safety status, and manually trigger emergency alerts when required. The interface also enables users to manage emergency contacts and access safe route guidance. Emphasis is placed on simplicity and clarity to ensure usability during high-stress situations, thereby improving user interaction and decision-making efficiency. The EcoShield system is developed using modern mobile application technologies to ensure secure and dependable operation. Android-based services are used to handle location tracking, voice recognition, and background processing. Automated emergency alert mechanisms are implemented to send SMS notifications and initiate emergency calls without delay. During operation, the system continuously evaluates user context, voice input, and location data to detect distress situations. Alerts are triggered immediately upon detection, even if complete location data is not yet available, ensuring prompt response. This methodology enhances system reliability, reduces emergency response time, and improves overall personal safety effectiveness.

2. Results And Discussion

2.1.Results

The proposed EcoShield Personal Safety System was evaluated under simulated real-world conditions to assess its effectiveness in detecting unsafe routes and providing timely safety alerts. The results indicate that the integration of crime-zone mapping with real-time route analysis significantly improves situational awareness for users. High-risk areas were accurately identified and visualized on the map, allowing the system to detect when a selected route passed through unsafe zones. Upon detection, the application promptly notified the user and initiated the process of identifying a safer alternative route. The system demonstrated reliable performance in dynamically analyzing navigation paths and comparing them against predefined danger zones. When the user's route intersected with one or more high-risk regions, the system successfully flagged the route as unsafe and displayed clear visual warnings. The rerouting mechanism effectively recalculated an alternative path that minimized exposure to these

International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

zones [1- 5]. This behavior confirms the system's capability to provide proactive safety guidance rather than relying solely on reactive emergency measures. As shown in Figure 4 Real Time Route Tracking.




Figure 4 Real Time Route Tracking

The results obtained from the Safety Map module demonstrate the effective visualization and identification of high-risk areas using predefined danger zones. As observed in the map output, crime-prone regions are clearly highlighted, enabling users to easily recognize unsafe locations during navigation. The system accurately analyzes the selected route and detects intersections with these high-risk zones, indicating potential safety threats along the path. When an unsafe route is identified, the application successfully flags it and visually distinguishes it from safer alternatives, thereby improving user awareness and supporting informed decision-making. Furthermore, the system continuously evaluates the route in real time as the user searches for destinations or moves along the path. This ensures that safety assessments remain up-to-date and responsive to location changes. The use of color-coded routes and shaded danger zones enhances map clarity and readability, even in areas with multiple nearby risk regions. Overall, the results confirm that the integration of real-time location tracking with crime zone mapping enables reliable unsafe-route detection and provides proactive navigation support, contributing to improved personal safety during travel. As shown in Figure 5 Danger zone detection [6 – 10].




Figure 5 Danger zone detection

The results illustrated in the Safety Map demonstrate the system's ability to accurately detect unsafe routes when a selected path intersects with predefined danger zones. As shown in the image, high-risk areas are clearly marked using shaded circular regions, and the navigation route is dynamically analyzed against these zones. When the calculated route passes through one or more high-risk areas, the system successfully identifies the route as unsafe and visually highlights it, providing immediate feedback to the user. Upon detecting an unsafe route, the application generates a real-time alert indicating the presence of safety risks along the path. The system then initiates the process of identifying a safer alternative route that avoids or minimizes traversal through danger zones. This behavior confirms the effectiveness of the spatial comparison between route geometry and crime-prone regions. The clear visual distinction between unsafe routes and surrounding zones enhances user understanding and supports proactive decision-making during navigation. Overall, the results validate that the EcoShield system reliably detects route-based safety risks and responds promptly to improve user safety during

International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

travel [11 – 15].

Conclusion

This research presented EcoShield, an AI-driven personal safety system aimed at enhancing individual security through real-time risk detection and automated emergency response. By integrating location tracking, crime zone mapping, and voice-based SOS detection, the proposed system addresses key limitations of traditional personal safety solutions, such as reliance on manual intervention, delayed alerts, and limited situational awareness during emergencies. Overall, the proposed approach offers a practical and scalable solution for improving personal safety and emergency preparedness. The use of automated alert mechanisms ensures timely communication with emergency contacts, while real-time route analysis supports proactive risk avoidance. By reducing response time and minimizing user dependency, the system contributes to safer navigation and improved public security. Future enhancements may focus on incorporating real-time crime data feeds, expanding coverage to additional regions, and integrating wearable devices to further strengthen emergency detection and response capabilities.

Acknowledgements

The authors would like to express their sincere gratitude to St. John College of Engineering and Management (SJCEM), Palghar, Maharashtra, India, for providing the infrastructure, academic support, and technical facilities necessary to carry out this research work.

References

[1]. Eisenhut, K., Sauerborn, E., García-Moreno, C., & Wild, V. (2020). Mobile applications addressing violence against women: A systematic review. BMJ Global Health, 5(4), e001954. https://doi.org/10.1136/bmjgh-2019-001954

[2]. Weinlich, M., Kurz, P., Blau, M. B., Walcher, F., & Piatek, S. (2018). Significant acceleration of emergency response using smartphone geolocation data and a worldwide emergency call support system. PLOS ONE, 13(5), e0196336. https://doi.org/10.1371/journal.pone.0196336

[3]. Ecker, H., Lindacher, F., Dressen, J., Wingen, S., Hamacher, S., Böttiger, B. W., & Wetsch, W. A. (2020). Accuracy of automatic geolocalization of smartphone location during emergency calls: A pilot study. Resuscitation, 146, 5–12. https://doi.org/10.1016/j.resuscitation.2019.10.030

[4]. Maglogiannis, I., & Hadjiefthymiades, S. (2007). EmerLoc: Location-based services for emergency medical incidents. International Journal of Medical Informatics, 76(10), 747–759. https://doi.org/10.1016/j.ijmedinf.2006.07.010

[5]. Chainey, S., Tompson, L., & Uhlig, S. (2008). The utility of hotspot mapping for predicting spatial patterns of crime. Security Journal, 21, 4–28. https://doi.org/10.1057/palgrave.sj.8350066

[6]. Rosser, G., Davies, T., Bowers, K. J., Johnson, S. D., & Cheng, T. (2017). Predictive crime mapping: Arbitrary grids or street networks? Journal of Quantitative Criminology, 33, 569–594. https://doi.org/10.1007/s10940-016-9321-x

[7]. Hu, Y., Wang, F., Guin, C., & Zhu, H. (2018). A spatio-temporal kernel density estimation framework for predictive crime hotspot mapping and evaluation. Applied Geography, 99, 89–97. https://doi.org/10.1016/j.apgeog.2018.08.001

[8]. Hajela, G., Chawla, M., & Rasool, A. (2021). Crime hotspot prediction based on dynamic spatial analysis. ETRI Journal, 43(6), 1058–1080. https://doi.org/10.4218/etrij.2020-0220

[9]. Chauhan, R., & Baraik, V. K. (2022). Geo-information enabled crime predictive analysis model. National Geographical

International Research Journal on Advanced Engineering and Management
https://goldncloudpublications.com
https://doi.org/10.47392/IRJAEM.2026.0406
e ISSN: 2584-2854
Volume: 04 Issue: 10
October 2026
Page No: 2886 - 2891

Journal of India, 68(1), 18–40. https://doi.org/10.48008/ngji.1793

[10]. Schmidtke, H. R. (2020). Location-aware systems or location-based services: A survey with applications to CoViD-19 contact tracking. Journal of Reliable Intelligent Environments, 6, 191–214. https://doi.org/10.1007/s40860-020-00111-4

[11]. Sohrabi, S., Weng, Y., Das, S., & German Paal, S. (2022). Safe route-finding: A review of literature and future directions. Accident Analysis & Prevention, 177, 106816. https://doi.org/10.1016/j.aap.2022.106816

[12]. Sanfelice, V. (2019). Are safe routes effective? Assessing the effects of Chicago's Safe Passage program on local crimes. Journal of Economic Behavior & Organization, 164, 357–373. https://doi.org/10.1016/j.jebo.2019.06.013

[13]. Hao, W., Liu, F., Han, C., Pervez, A., Wang, K., Chen, J., & Tang, J. (2025). Do motorists select safe routes over efficient routes? An empirical study using travel trajectory data. Accident Analysis & Prevention, 218, 108090. https://doi.org/10.1016/j.aap.2025.108090

[14]. Ashikuzzaman, M., Aziz, A., & Fime, A. A. (2025). DangerDet: A mobile application-based danger detection platform for women and children using deep learning. SoftwareX, 29, 101983. https://doi.org/10.1016/j.softx.2024.101983

[15]. Jefry, A. N. I., Ismail, S. R., Ibrahim, I. M., Najmuddin, A. F., Shaffie, S. S., & Abdul Rahman, A. (2023). Women safety application using geolocation. International Journal of Academic Research in Business and Social Sciences, 13(9). https://doi.org/10.6007/IJARBSS/v13-i9/18896